


Stock list 2006



elefant[®] riste
- the original...

ElefantRiste A/S

Ivar Lundgaards Vej 21 • 7500 Holstebro

Tlf. 97 42 61 33 • Fax 97 41 05 12

www.elefantriste.dk

Note:

This stock list details the full range of item available from our factory for immediate despatch, subject to availability at time of order.

Please contact our sales department on +45 9742 6133 for prices or for further information on bespoke items.

Unless otherwise stated all stock items are manufactured in Carbon Steel S235JRG2 (stal 37-2) and finished in Hot Dipped Galvanised to EN 1461:1999.

Step gratings

Model	Dimension (DxL) mm	Bar	Mesh mm	Edge bar mm	Item no.
Classic	400 x 800	20 x 2 SP	20 x 30	50 x 3	11012408G
	400 x 900				11012409G
	400 x 1000				11012410G
	500 x 800	20 x 2 SP	20 x 30	50 x 3	11012508G
	500 x 900				11012509G
	500 x 1000				11012510G
	500 x 1500				11012515G
	600 x 800	20 x 2 SP	20 x 30	50 x 3	11012608G
	600 x 900				11012609G
	600 x 1000				11012610G
	600 x 1200				11012612G
	1000 x 1000	25 x 2 SP	20 x 30	50 x 3	11012110G
	1000 x 1500				11012115G
	Futura w/4 adjust. screws + fittings	400 x 800	20 x 2	10 x 60	40 x 2/3
500 x 1000				50 x 2/3	13012510G
Luna Futura w/5 adjust. screws	400 x 800	20 x 2	10 x 60	40 x 2	13012408Ø
	500 x 1000			50 x 2	13012510Ø
Futura Light w/4 adjust. screws + fitting	400 x 800	20 x 2	20 x 60	40 x 2/3	13013408G
	500 x 1000			50 x 2/3	13013510G
Luna Futura Light w/5 adjust. scr.	400 x 800	20 x 2	20 x 60	40 x 2	13013408Ø
	500 x 1000			50 x 2	13013510Ø
Luna SafeTeak Light (Serrated)	400 x 800	20 x 2	20 x 60	40 x 2	13013408S
Futura Light Safe	400 x 800	20 x 2	20 x 60	40 x 2/3	13113408G
Luna Futura Light Safe	400 x 800	20 x 2	20 x 60	40 x 2	13113408Ø

Designer gratings and bases

Model	Dimension (DxL) mm	Bar	Mesh mm	Edge bar mm	Item no.
Excess Fanteak	490 x 900	20 x 2	10 x 60	20 x 2	14971408G
Luna Excess fanteak	490 x 900	20 x 2	10 x 60	20 x 2	14971408Ø
Base to Excess Fanteak	500 x 910	-	-	40 x 3	14971408B
Base to Luna Excess Fanteak	496 x 911	-	-	50 x 3	14971408BØ
Precast plinth made from Polymer Concrete	420 x 835		-	60 mm	16104408G
Futura scrapergrating to precast plynth	400 x 800	20 x 2	10 x 60	20 x 2	14101408G
Semicircular Precast plinth made from Polymer Concrete	420 x 835		-	60 mm	16104408Ø
Luna Futura scrapergrating to precast plynth	400 x 800	20 x 2	10 x 60	20 x 2	14101408Ø

Fittings and Accessories for Step gratings

Type	Description			Item no.
Adjustable legs	Bags w/4 legs incl. fittings Aluminium and electro-galvanised adjusting screws	Step height:	100 mm	1216104PK
			120 mm	1216124PK
			140 mm	1216144PK
			160 mm	1216164PK
			180 mm	1216184PK
			200 mm	1216204PK
			220 mm	1216224PK
			240 mm	1216244PK
Adjustable screw	ball joint ajust. screw Supplied individually	electro-galv.	M10 x 50	2210061
Stainless A2 screw	ball joint		M10 x 50	2210062
Adjusting screw	Bags w/4 stk. + fittings	electro-galvanised	M10 x 60	2210060PK
	Bags w/5 stk. + fittings	electro-galvanised	M10 x 30	22100305PK
	Bags w/7 stk. + fittings	electro-galvanised	M10 x 30	22100307PK
Approach plate	For mounting on grating		300 x 800	13121308G
			300 x 900	13121309G
			300 x 1000	13121310G
Fittings	D1 fitting			33121601
	D8/10 hinge fitting			33121681
	D4 assembly fitting - 2 gratings			33121642
	D5 assembly fitting - 4 gratings			33121654
Stiletto heel step plate	Stainless steel			34121688
Boot brush set	For mounting on gratings			36111111PK
Brushes	Supplied in bags of 25		Yellow	35111110PK
			Blue	35111111PK
			Green	35111112PK
			Red	35111114PK
			Black	35111115PK
			Brown	35111116PK

Outlet gratings and frames

Type	Dimension mm	Bar mm	Mesh mm	Item no.
Outlet grating	320 x 320	25 x 2 SP	20 x 20	25922332G
	330 x 330	40 x 3 SP	30 x 30	25943333G
		Angle steel mm		
Frame	330 x 330	30 x 15 x 3	-	26428333G
	340 x 340	45 x 20 x 3	-	26443334G

Scraper gratings and angle frames

Scraper grating					Angle steel frames		
Dimension (DxL) mm	Mesh	Ribbe	Edge bar mm	Item no.	Angle steel mm	Outer dim. (DxL) mm	Item no.
250 x 500	20 x 30	20 x 2 SP	20 x 3	14001205G	25 x 25 x 3	261 x 511	16004205G
250 x 1000				14001210G		261 x 1011	16004210G
315 x 640				14001316G		326 x 651	16004316G
425 x 640				14001426G		436 x 651	16004426G
425 x 748				14001427G		436 x 759	16004427G
440 x 640				14001446G		451 x 651	16004446G
400 x 600	20 x 30	20 x 2 SP	20 x 3	14001406G	25 x 25 x 3	411 x 611	16004406G
400 x 800				14001408G		411 x 811	16004408G
400 x 900				14001409G		411 x 911	16004409G
400 x 1000				14001410G		411 x 1011	16004410G
400 x 1200				14001412G		411 x 1211	16004412G
400 x 1500				14001415G		411 x 1511	16004415G
500 x 800	20 x 30	20 x 2 SP	20 x 3	14001508G	25 x 25 x 3	511 x 811	16004508G
500 x 900				14001509G		511 x 911	16004509G
500 x 1000				14001510G		511 x 1011	16004510G
500 x 1200				14001512G		511 x 1211	16004512G
500 x 1500				14001515G		511 x 1511	16004515G
600 x 800	20 x 30	20 x 2 SP	20 x 3	14001608G	25 x 25 x 3	611 x 811	16004608G
600 x 900				14001609G		611 x 911	16004609G
600 x 1000				14001610G		611 x 1011	16004610G
600 x 1200				14001612G		611 x 1211	16004612G
600 x 1500				14001615G		611 x 1511	16004615G
750 x 1000	20 x 30	25 x 2 SP	25 x 3	14001710G	30 x 30 x 3	761 x 1011	16004710G
750 x 1500				14001715G		761 x 1511	16004715G
800 x 1000				14001810G		811 x 1011	16004810G
1000 x 1000				14001110G		1011 x 1011	16004110G
1000 x 1500				14001115G		1011 x 1511	16004115G
400 x 800	9 x 30	20 x 2 SP	20 x 3	15005408G			
500 x 1000				15005510G			
600 x 1000				15005610G			
800 x 1000	9 x 30	25 x 2 SP	25 x 3	15005810G			
1000 x 1000				15005110G			
1000 x 1500				15005115G			
400 x 800	10 x 60	20 x 2	20 x 2	14101408G			
400 x 800		Semicircular	20 x 2	14101408Ø			

Heavy duty gratings

Dimension (DxL) mm	Mesh	Bar	Edge bar mm	Pressure* Ton	Item no.
*Pressure area of 200x200 mm on edge of grating without supplement for bump					
200 x 1000	30 x 30	30 x 2 SP	30 x 3	3,70	17932210G
300 x 500				1,20	17932305G
300 x 1000				1,20	17932310G
300 x 500	30 x 30	40 x 2 Sp	40 x 3	2,20	17942305G
300 x 1000				2,20	17942310G
400 x 500				1,30	17942405G
400 x 1000				1,30	17942410G
500 x 500				1,00	17942505G
500 x 1000				1,00	17942510G
400 x 500	30 x 30	40 x 3 SP	40 x 3	1,90	17943405G
400 x 1000				1,90	17943410G
500 x 500				1,40	17943505G
500 x 1000				1,40	17943510G
400 x 500	30 x 30	50 x 3 SP	50 x 3	2,90	17953405G
400 x 1000				2,90	17953410G
500 x 500				2,10	17953505G
500 x 1000				2,10	17953510G
300 x 500	40 x 20	50 x 5	50 x 5	10,40	18955305G
300 x 1000				10,40	18955310G

Frame parts

Angle steel mm	End part mm	Length part mm	Item no.
35 x 35 x 5	215 x 260		19435226G
	315 x 260		19435326G
		500	19435005G
		1000	19435010G
		1500	19435015G
		2000	19435020G
	45 x 45 x 5	320 x 260	
420 x 260			19445426G
520 x 260			19445526G
		500	19445005G
		1000	19445010G
		1500	19445015G
		2000	19445020G
55 x 55 x 6	320 x 260		19455326G
	420 x 260		19455426G
	520 x 260		19455526G
		500	19455005G
		1000	19455010G
		1500	19455015G
		2000	19455020G

Industrial gratings

Dimension (DxL) mm	Bearing bar	Edge bar mm	Mesh 30x30 Item no.	Mesh15x30* Item no.
400 x 1000	20 x 2 SP	20 x 3	21920410G	
400 x 1000	25 x 2 SP	25 x 3	21009504G	
500 x 1000			21009510G	20009510G
500 x 1500			21009515G	20009515G
600 x 1000			21009610G	20009610G
600 x 1500			21009615G	20009615G
700 x 1000			21009710G	20009710G
700 x 1500			21009715G	20009715G
800 x 1000			21009810G	20009810G
800 x 1500			21009815G	20009815G
900 x 1000			21009910G	20009910G
900 x 1500			21009915G	20009915G
1000 x 1000			21009110G	20009110G
1000 x 1500			21009115G	20009115G
700 x 750	30 x 2 SP	30 x 3	21932707G	
700 x 1000			21932710G	
700 x 1250			21932712G	

Edge bars on 4 sides
* 15 mm ball proof

Fittings

Description	Item no.	
Complete assembly clips for industrial gratings	m/M8x60 mm screw 30x30 mesh - height 20-50	33990010
	m/M8x80 mm screw 30x30 mesh - height 50-70	33990030
	m/M8x60 mm screw 20x30 mesh - height 20-50	33990020
	m/M8x80 mm screw 20x30 mesh - height 50-70	33990021
	m/M8x80 mm screw 9/15x30 mesh - height 20-70	33990012
	Assembly clip M6x16 mm - electro galvanised	33990022
	Assembly clip M6x40 mm - electro galvanised	33990023
Assembly clip 9x30/15x30 mesh	33990190	
Stainless steel assembly clips AISI 316	m/M8x60 mm screw 30x30 mesh	33990031
	m/M8x60 mm screw 20x30 mesh	33990131
	m/M8x60 mm screw 9x30/15x30 mesh	33990231
Complete assembly clips for stair treads type 14/9	height 30 to 45 mm	99801006
Fittings for Light well gratings	Security chain	33990110
	D9 fitting	33121684

Mesh stair trades

Dimension (DxL) mm	Bar	Mesh mm	Edge bar mm	Item no.
150 x 500	20 x 2 SP	20 x 30	50 x 3	22007155G
150 x 600			50 x 3	22007156G
250 x 700	20 x 2 SP	20 x 30	50 x 3	22007257G
250 x 800			50 x 3	22007258G
250 x 900			50 x 3	22007259G
250 x 1000			50 x 3	22007251G
300 x 1000	20 x 2 SP	20 x 30	60 x 3	22007301G
300 x 1200			60 x 3	22007302G
300 x 1500	20 x 2 SP	20 x 30	70 x 3,5	22007305G

Stair treads type 14/9 and 9/5 (2 mm)

Depth mm	Length mm	Item no.	Depth mm	Length mm	Item no.
160	400/45	80241604G	260	400/45	80242604G
160	500/45	80241605G	260	500/45	80242605G
160	600/45	80241606G	260	600/45	80242606G
160	700*/45	80241607G	260	700*/45	80242607G
160	800*/45	80241608G	260	800*/45	80242608G
160	900*/45	80241609G	260	900*/45	80242609G
160	1000*/45	80241610G	260	1000*/45	80242610G
160	1100*/60	80261611G	260	1100*/60	80262611G
160	1200*/60	80261612G	260	1200*/60	80262612G
160	1500*/60	80261615G	260	1500*/60	80262615G
210	400/45	80242104G	310	400/45	80243104G
210	500/45	80242105G	310	500/45	80243105G
210	600/45	80242106G	310	600/45	80243106G
210	700*/45	80242107G	310	700*/45	80243107G
210	800*/45	80242108G	310	800*/45	80243108G
210	900*/45	80242109G	310	900*/45	80243109G
210	1000*/45	80242110G	310	1000*/45	80243110G
210	1100*/60	80262111G	310	1100*/60	80263111G
210	1200*/60	80262112G	310	1200*/60	80263112G
210	1500*/60	80262115G	310	1500*/60	80263115G

Stainless stair treads type 9/5 EN 1.4301 (AISI 304) Pickled

150	500/32	83241505R
150	600/32	83241506R
200	700/45	83242007R
200	800/45	83242008R
250	800/45	83242508R
250	1000/45	83242510R

* Ved længder over 600 mm er der hælafviser på - gælder ikke for rustfri lejdertrin

Self coloured gratings

Dimension (DxL) mm	Bars	Mesh mm	Material: S235JRG2	Material: EN 1.4301 (AISI 304)
			Item no.	Item no.
1000 x 1000	25 x 2 SP	9 x 30	SK135110	
1000 x 1500		9 x 30	SK135115	
1000 x 1500	25 x 2 SP	20 x 30	SK111115	
1000 x 1000	25 x 2 SP	30 x 30	SK189110	
1000 x 2000		30 x 30	SK189120	SK189120A2
1200 x 1500		30 x 30	SK181215	
1000 x 1000	30 x 2 SP	30 x 30	SK191010	SK191010A2
1000 x 2000		30 x 30	SK191020	SK191020A2
1200 x 2000		30 x 30	SK191220	

Self coloured planks type 14/9

		Model 14/9
		Material: S235JRG2
Dimension (DxL) mm	Height x Thickness mm	Item no.
63 x 3000	35 x 3	SK063530A
110 x 3000	35 x 2	SK113530A
160 x 3000	35 x 2	SK163530A
160 x 3000	45 x 2	SK164530A
210 x 3000	35 x 2	SK213530A
210 x 3000	45 x 2	SK214530A

Ladder rungs type 9/5

Material: S235JRG2		
self coloured		
Length mm	Dimension mm	Item no.
347	30 x 30 x 30 x 2	81240347U
397	30 x 30 x 30 x 2	81240397U
510	30 x 30 x 30 x 2	81240510U
2000	30 x 30 x 30 x 2	81242000U
Material: EN 1.4571 (AISI 316)		
347	30 x 30 x 30 x 2	84240347U
397	30 x 30 x 30 x 2	84240397U
510	30 x 30 x 30 x 2	84240510U
2000	30 x 30 x 30 x 2	84242000U

Flat sheet type 14/9 (2mm)

Self coloured	
Dimension (DxL) mm	Item no.
500x3000	70203510U
500x6000	70206510U